



# SAFETY DATA SHEET

**SDS ID NO.:** 0162MAR019 **Revision Date:** 05/22/2015

### 1. IDENTIFICATION

Product Name: Marathon Petroleum Multipower-3 15W-40 Motor Oil

Synonym: Multipower-3 15W-40 Motor Oil; Multipower-3 15W-40 Heavy Duty Motor Oil

Chemical Family: Motor/Lube Oil

**Recommended Use:** Engine Oil. **Use Restrictions:** All others.

**Supplier Name and Address:** 

MARATHON PETROLEUM COMPANY LP 539 South Main Street Findlay, OH 45840

**SDS information:** 1-419-421-3070 **Emergency Telephone:** 1-877-627-5463

## 2. HAZARD IDENTIFICATION

#### Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation

Category 2A

### **Hazards Not Otherwise Classified (HNOC)**

Not applicable

#### Label elements

#### **EMERGENCY OVERVIEW**

#### Warning

Causes serious eye irritation



Appearance Brown Liquid Physical State Liquid Odor Petroleum

SDS ID NO.: 0162MAR019 Product name: Marathon Petroleum Multipower-3 15W-40 Motor Oil Page 1 of 10

### **Precautionary Statements - Prevention**

Wash hands and any possibly exposed skin thoroughly after handling Wear eye/face protection

### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical attention

#### **Precautionary Statements - Storage**

Not applicable

### **Precautionary Statements - Disposal**

Not applicable

#### **Additional Information**

Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Motor oil is a complex mixture of highly refined lubricating oil base stocks and additives.

### **Composition Information:**

Name	CAS Number	Weight %
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts	113706-15-3	1-5
Dinonyl diphenylamine	36878-20-3	1-5
Butene, homopolymer	9003-29-6	1-5
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs.	84605-20-9	1-5

### 4. FIRST AID MEASURES

### **First Aid Measures**

General advice In case of accident or if you feel unwell, seek medical advice immediately (show directions

for use or safety data sheet if possible).

**Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms

occur get medical attention.

**Skin Contact:** Wash skin with plenty of soap and water. If irritation or other symptoms occur get medical

attention. Wash contaminated clothing and clean shoes before reuse.

Eye Contact: Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be

held away from the eyeball to ensure thorough rinsing. Gently remove contacts while

flushing. Get medical attention.

Ingestion: Rinse mouth out with water. If spontaneous vomiting occurs, keep head below hips, or if

patient is lying down, turn body and head to side to prevent aspiration and monitor for breathing difficulty. Never give anything by mouth to an unconscious person. Keep affected

person warm and at rest. If symptoms develop, seek medical attention.

### Most important signs and symptoms, both short-term and delayed with overexposure

Adverse Effects: Causes eye irritation. Symptoms may include redness, itching, and inflammation. May

cause skin irritation and/or dermatitis. Preexisting skin conditions and/or respiratory

disorders may be aggravated by exposure to this product.

SDS ID NO.: 0162MAR019 Product name: Marathon Petroleum Multipower-3 15W-40 Motor Oil Page 2 of 10

#### Indication of any immediate medical attention and special treatment needed

**NOTES TO PHYSICIAN:** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

For small fires, Class B fire extinguishing media such as CO2, dry chemical, foam (AFFF/ATC) or water spray can be used. For large fires, water spray, fog or foam (AFFF/ATC) can be used. Firefighting should be attempted only by those who are adequately trained and equipped with proper protective equipment.

#### Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

The product is not combustible per the OSHA Hazard Communication Standard, but will ignite and burn at temperatures exceeding the flash point.

#### **Hazardous combustion products**

Smoke, carbon monoxide, and other products of incomplete combustion.

#### **Explosion data**

Sensitivity to Mechanical Impact No. Sensitivity to Static Discharge No.

### Special protective equipment and precautions for firefighters

Avoid using straight water streams. Water spray and foam (AFFF/ATC) must be applied carefully to avoid frothing and from as far a distance as possible. Avoid excessive water spray application. Use water spray to cool exposed surfaces from as far a distance as possible. Keep run-off water out of sewers and water sources.

NFPA: Health 1 Flammability 1 Instability 0 Special Hazards -

### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Keep public away. Isolate and evacuate area. Shut off source if safe to do so.

**Protective Equipment:** Use personal protection measures as recommended in Section 8.

**Emergency Procedures:** Advise authorities and National Response Center (800-424-8802) if the product has

entered a water course or sewer. Notify local health and pollution control agencies, if

appropriate.

**Environmental precautions:** Avoid release to the environment. Avoid subsoil penetration.

Methods and materials for

containment:

up:

Prevent further leakage or spillage if safe to do so.

Methods and materials for cleaning Use suitable absorbent materials such as vermiculite, sand, or clay to clean up residual

liquids. Recover and return free product to proper containers.

### 7. HANDLING AND STORAGE

SDS ID NO.: 0162MAR019 Product name: Marathon Petroleum Multipower-3 15W-40 Motor Oil Page 3 of 10

Safe Handling Precautions:

Avoid contact with skin, eyes and clothing. Do not swallow. Avoid breathing vapors or mists. Use good personal hygiene practices. Wash thoroughly after handling. Use personal protection measures as recommended in Section 8. Do not cut, drill, grind or weld on empty containers since explosive residues may remain. Refer to applicable EPA, OSHA, NFPA and consistent state and local requirements.

**Revision Date:** 05/22/2015

Lifetime, continuous skin contact with used motor oils has caused skin cancer in laboratory tests. In testing, thorough washing has been found to prevent the development of skin cancer from used motor oil exposure. Avoid excessive skin contact. Exercise good personal hygiene including the removal and washing of soiled clothing and destroy used motor oil contaminated leather shoes/boots.

**Storage Conditions:** 

Store in properly closed containers that are appropriately labeled and in a cool, well-ventilated area. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials.

Incompatible materials

Strong oxidizing agents.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	ACGIH TLV	OSHA PELS:	OSHA - Vacated PELs	NIOSH IDLH
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts 113706-15-3	-	-	-	-
Dinonyl diphenylamine 36878-20-3	-	-	-	•
Butene, homopolymer 9003-29-6	-	-	-	-
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs. 84605-20-9	-	-	-	-

Notes:

The manufacturer has voluntarily elected to provide exposure limits contained in OSHA's 1989 air contaminants standard in its SDSs, even though certain of those exposure limits were vacated in 1992.

**Engineering measures:** 

Local or general exhaust required when using at elevated temperatures that generate vapors or mists.

Personal protective equipment

Eye protection:

Use goggles or face-shield if the potential for splashing exists.

Skin and body protection:

Wear neoprene, nitrile or PVA gloves to prevent skin contact. Glove suitability is based on workplace conditions and usage. Contact the glove manufacturer for specific advice on glove selection and breakthrough times. Wear appropriate protective clothing.

Respiratory protection:

Use an approved organic vapor chemical cartridge or supplied air respirators when material produces vapors that exceed permissible exposure limits or excessive vapors are generated. Observe respirator assigned protection factors (APFs) criteria cited in federal OSHA 29 CFR 1910.134. Self-contained breathing apparatus should be used for fire fighting.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

SDS ID NO.: 0162MAR019 Product name: Marathon Petroleum Multipower-3 15W-40 Motor Oil Page 4 of 10

Information on basic physical and chemical properties

Physical StateLiquidAppearanceBrown LiquidColorBrownOdorPetroleumOdor ThresholdNo available data.

PropertyValues (Method)Melting Point / Freezing PointNo available data.Initial Boiling Point / Boiling RangeNo available data.

Flash Point > 220 °C / > 428 °F (Cleveland Open-Cup)

**Evaporation Rate** No available data. **Flammability (solid, gas)** Not applicable.

Flammability Limit in Air (%)

Upper Flammability Limit:
Lower Flammability Limit:
Vapor Pressure
Vapor Density
Specific Gravity / Relative Density
No available data.
No available data.
No available data.
No available data.
0.86-0.875

Water Solubility
Solubility in other solvents
Partition Coefficient
Decomposition temperature:
pH:
No available data.

Kinematic Viscosity 82 mm2/s @ 40°C / 104°F

Dynamic Viscosity

Explosive Properties

Softening Point

VOC Content (%)

No available data.

No available data.

No available data.

DensityNo available data.Bulk DensityNot applicable.

### 10. STABILITY AND REACTIVITY

**Reactivity** The product is non-reactive under normal conditions.

<u>Chemical stability</u> Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u>

None under normal processing.

<u>Hazardous polymerization</u> Will not occur.

<u>Conditions to avoid</u> Sources of heat or ignition.

<u>Incompatible materials</u> Strong oxidizing agents.

Hazardous decomposition products

None known under normal conditions of use.

### 11. TOXICOLOGICAL INFORMATION

### Potential short-term adverse effects from overexposures

**Inhalation** Overheating may produce vapors which may cause respiratory irritation, dizziness and

nausea.

**Eye contact** Irritating to eyes. May cause reddening and tearing.

SDS ID NO.: 0162MAR019 Product name: Marathon Petroleum Multipower-3 15W-40 Motor Oil Page 5 of 10

**Skin contact** May cause skin irritation. Prolonged or repeated exposure may cause dermatitis, folliculitis

or oil acne.

**Ingestion** May cause irritation of the mouth, throat and gastrointestinal tract.

### Acute Toxicological data

Name	Oral LD50	Dermal LD50	Inhalation LC50
Phosphorodithioic acid, mixed	-	-	-
O,O-bis(sec-Bu and isooctyl) esters, zinc			
salts			
113706-15-3			
Dinonyl diphenylamine	-	-	-
36878-20-3			
Butene, homopolymer	-	-	-
9003-29-6			
Amines, polyethylenepoly-, reaction	-	-	-
products with succinic anhydride			
polyisobutenyl derivs.			
84605-20-9			

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

This product is considered to have a low order of acute and chronic oral and dermal toxicity.

**Revision Date:** 05/22/2015

USED MOTOR OIL: Lifetime, continuous skin contact with used motor oils has caused skin cancer in laboratory tests. The combustion process produces compounds (polycyclic aromatic hydrocarbons) in motor oils that increase with use and are responsible for the cancer induction. Thorough washing has been found to prevent the development of skin cancer on animals from used motor oil exposure.

ZDDP: Zinc dialkyldithiophosphate (ZDDP) additives are primarily eye and/or skin irritants or corrosives with low acute toxicity via oral, dermal, and inhalation routes of exposure and are not skin sensitizers. In laboratory repeat dose studies by the dermal and oral routes, ZDDPs cause effects only at high doses, primarily due to irritation, in a manner similar to other irritating materials. The weight-of- evidence of genotoxicity testing indicates that ZDDPs are not mutagenic and do not cause larger chromosomal effects.

### Adverse effects related to the physical, chemical and toxicological characteristics

Signs & Symptoms Causes eye irritation. Symptoms may include redness, itching, and inflammation. Contact

may cause skin dermatitis and/or irritation. Repeated or prolonged skin contact may cause

drying, reddening, itching and cracking.

**Sensitization** Not expected to be a skin or respiratory sensitizer.

Mutagenic effects None known.

Carcinogenicity Cancer designations are listed in the table below

ourcinogernoity	archiogenicity cancer accignations are noted in the table below.			
Name	ACGIH (Class)	IARC (Class)	NTP	OSHA
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts 113706-15-3	Not Listed	Not Listed	Not Listed	Not Listed
Dinonyl diphenylamine 36878-20-3	Not Listed	Not Listed	Not Listed	Not Listed
Butene, homopolymer 9003-29-6	Not Listed	Not Listed	Not Listed	Not Listed

SDS ID NO.: 0162MAR019 Product name: Marathon Petroleum Multipower-3 15W-40 Motor Oil Page 6 of 10

### 0162MAR019 Marathon Petroleum Multipower-3 15W-40 Motor Oil

**Revision Date:** 05/22/2015

Amines, polyethylenepoly-,	Not Listed	Not Listed	Not Listed	Not Listed
reaction products with				
succinic anhydride				
polyisobutenyl derivs.				
84605-20-9				

Reproductive toxicity None known.

Specific Target Organ Toxicity (STOT) - single exposure

Not classified.

Specific Target Organ Toxicity (STOT) - repeated exposure

Not classified.

Aspiration hazard Not classified.

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Used motor and/or lube oils can be toxic to birds and fish.

Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts 113706-15-3	-	-	-	-
Dinonyl diphenylamine 36878-20-3	-	-	-	-
Butene, homopolymer 9003-29-6	-	-	-	-
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs. 84605-20-9	-	-	-	-

Persistence and degradability Not expected to be readily biodegradable.

Bioaccummulation Contains component(s) with the potential to bioaccumulate.

Mobility in soil No information available.

Other adverse effects No information available.

### 13. DISPOSAL CONSIDERATIONS

### **Description of Waste Residues**

No information available.

### Safe Handling of Wastes

Handle in accordance with applicable local, state, and federal regulations. Use personal protection measures as required.

#### **Disposal of Wastes / Methods of Disposal**

The user is responsible for determining if any discarded material is a hazardous waste (40 CFR 262.11). Dispose of in accordance with federal, state and local regulations.

### **Methods of Contaminated Packaging Disposal**

Empty containers should be completely drained and then discarded or recycled, if possible. Do not cut, drill, grind or weld on empty containers since explosive residues may be present. Dispose of in accordance with federal, state and local regulations.

SDS ID NO.: 0162MAR019 Product name: Marathon Petroleum Multipower-3 15W-40 Motor Oil Page 7 of 10

### 14. TRANSPORT INFORMATION

DOT (49 CFR 172.101):

UN Proper shipping name:
UN/Identification No:
Transport Hazard Class(es):
Packing group:

Not Regulated
Not applicable
Not applicable
Not applicable

TDG (Canada):

UN Proper shipping name:Not RegulatedUN/Identification No:Not applicableTransport Hazard Class(es):Not applicablePacking group:Not applicable

### 15. REGULATORY INFORMATION

### **US Federal Regulatory Information:**

US TSCA Chemical Inventory Section 8(b): This product and/or its components are listed on the TSCA

Chemical Inventory.

#### **EPA Superfund Amendment & Reauthorization Act (SARA):**

SARA Section 302: This product may contain component(s) that have been listed on EPA's Extremely

Hazardous Substance (EHS) List:

Name	CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc	NA
salts	
Dinonyl diphenylamine	NA
Butene, homopolymer	NA
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs.	NA

SARA Section 304: This product may contain component(s) identified either as an EHS or a CERCLA

Hazardous substance which in case of a spill or release may be subject to SARA reporting

requirements:

Name	CERCLA/SARA - Hazardous Substances and their Reportable Quantities
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc	NA
salts	
Dinonyl diphenylamine	NA
Butene, homopolymer	NA
Amines, polyethylenepoly-, reaction products with succinic anhydride	NA
polyisobutenyl derivs.	

SARA: The following EPA hazard categories apply to this product:

Acute Health Hazard

SARA Section 313: This product may contain component(s), which if in exceedance of the de minimus

threshold, may be subject to the reporting requirements of SARA Title III Section 313 Toxic

Release Reporting (Form R).

Name	CERCLA/SARA 313 Emission reporting:
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl)	None
esters, zinc salts	
Dinonyl diphenylamine	None
Butene, homopolymer	None

SDS ID NO.: 0162MAR019 Product name: Marathon Petroleum Multipower-3 15W-40 Motor Oil Page 8 of 10

Amines, polyethylenepoly-, reaction products with succinic	None
anhydride polyisobutenyl derivs.	

**State and Community Right-To-Know Regulations:** The following component(s) of this material are identified on the regulatory lists below:

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) est	
Louisiana Right-To-Know:	Not Listed.
California Proposition 65:	Not Listed.
New Jersey Right-To-Know:	Not Listed.
Pennsylvania Right-To-Know:	Not Listed.
Massachusetts Right-To Know:	Not Listed.
Florida Substance List:	Not Listed.
Rhode Island Right-To-Know:	Not Listed.
Michigan Critical Materials Register List:	Not Listed.
Massachusetts Extraordinarily Hazardous Substances:	Not Listed.
California - Regulated Carcinogens:	Not Listed.
Pennsylvania RTK - Special Hazardous	Not Listed.
Substances:	
New Jersey - Special Hazardous Substances:	Not Listed.
New Jersey - Environmental Hazardous	Not Listed.
Substances List:	
Illinois - Toxic Air Contaminants	Not Listed.
New York - Reporting of Releases Part 597 -	Not Listed.
List of Hazardous Substances:	riot Liotou.
Dinonyl diphenylamine	
Louisiana Right-To-Know:	Not Listed.
California Proposition 65:	Not Listed.
New Jersey Right-To-Know:	Not Listed.
Pennsylvania Right-To-Know:	Not Listed.
Massachusetts Right-To Know:	
Florida Substance List:	Not Listed.
	Not Listed.
Rhode Island Right-To-Know:	Not Listed.
Michigan Critical Materials Register List:	Not Listed.
Massachusetts Extraordinarily Hazardous Substances:	Not Listed.
California - Regulated Carcinogens:	Not Listed.
Pennsylvania RTK - Special Hazardous	Not Listed.
Substances:	
New Jersey - Special Hazardous Substances:	Not Listed.
New Jersey - Environmental Hazardous	Not Listed.
Substances List:	
Illinois - Toxic Air Contaminants	Not Listed.
New York - Reporting of Releases Part 597 -	Not Listed.
List of Hazardous Substances:	
Butene, homopolymer	
Louisiana Right-To-Know:	Not Listed.
California Proposition 65:	Not Listed.
New Jersey Right-To-Know:	Not Listed.
Pennsylvania Right-To-Know:	Not Listed.
Massachusetts Right-To Know:	Not Listed.
Florida Substance List:	Not Listed.
Rhode Island Right-To-Know:	Not Listed.
Michigan Critical Materials Register List:	Not Listed.
Massachusetts Extraordinarily Hazardous Substances:	Not Listed.
California - Regulated Carcinogens:	Not Listed.
Pennsylvania RTK - Special Hazardous	Not Listed.
Substances:	
New Jersey - Special Hazardous Substances:	Not Listed.
New Jersey - Environmental Hazardous	Not Listed.
Substances List:	
Illinois - Toxic Air Contaminants	Not Listed.

**SDS ID NO.**: 0162MAR019 Product name: Marathon Petroleum Multipower-3 15W-40 Motor Oil Page 9 of 10

### 0162MAR019 Marathon Petroleum Multipower-3 15W-40 Motor Oil

Not Listed.

New York - Reporting of Releases Part 597 -

List of Hazardous Substances:

Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs.

Louisiana Right-To-Know: Not Listed. California Proposition 65: Not Listed. New Jersey Right-To-Know: Not Listed. Pennsylvania Right-To-Know: Not Listed. Massachusetts Right-To Know: Not Listed. Florida Substance List: Not Listed. Rhode Island Right-To-Know: Not Listed. Michigan Critical Materials Register List: Not Listed. Massachusetts Extraordinarily Hazardous Substances: Not Listed. California - Regulated Carcinogens: Not Listed. Pennsylvania RTK - Special Hazardous Not Listed. Substances:

New Jersey - Special Hazardous Substances: Not Listed. New Jersey - Environmental Hazardous Not Listed.

Substances List:

Illinois - Toxic Air Contaminants Not Listed. New York - Reporting of Releases Part 597 -Not Listed.

List of Hazardous Substances:

Canada DSL/NDSL Inventory: This product and/or its components are listed either on the Domestic Substances List (DSL)

or are exempt.

**Canadian Regulatory Information:** "This product has been classified in accordance with the hazard criteria of the Controlled

Products Regulations and the (M)SDS contains all the information required by the

**Revision Date:** 05/22/2015

Controlled Products Regulations."

Name	Canada - WHMIS: Classifications of Substances:	Canada - WHMIS: Ingredient Disclosure:
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts	D2B	1%
Butene, homopolymer	Uncontrolled product according to WHMIS classification criteria	



NOTE: Not Applicable.

### 16. OTHER INFORMATION

Prepared By Toxicology and Product Safety

**Revision Date:** 05/22/2015

**Revision Note:** 

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is intended as guidance for safe handling, use, processing, storage, transportation, accidental release, clean-up and disposal and is not considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**SDS ID NO.:** 0162MAR019 Product name: Marathon Petroleum Multipower-3 15W-40 Motor Oil Page 10 of 10